

Message

---

**From:** Brancho, Jennie [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=42731AFBF7B44063BD2E96500EA02216-BRANCHO, JE]  
**Sent:** 9/30/2020 7:10:43 PM  
**To:** Sharon Talley -MDE- [sharon.talley@maryland.gov]  
**CC:** Pratt, Stacie [Pratt.Stacie@epa.gov]  
**Subject:** RE: Boones Mobile Home

Sharon,

Thank you – I got the August Noncompliance report as well. Could you please share the July 21, 2020 MDE Inspection Report with me if that has been finalized? I don't think I have that yet.

**Ex. 7(A)**

Thanks,

**Jennie Brancho**

U.S. Environmental Protection Agency Region III  
Enforcement and Compliance Assurance Division  
Water Branch – NPDES Section (3ED32)  
[brancho.jennie@epa.gov](mailto:brancho.jennie@epa.gov)  
Office Phone: 215-814-2087

**From:** Sharon Talley -MDE- <sharon.talley@maryland.gov>  
**Sent:** Wednesday, September 30, 2020 1:22 PM  
**To:** Brancho, Jennie <Brancho.Jennie@epa.gov>  
**Cc:** Pratt, Stacie <Pratt.Stacie@epa.gov>  
**Subject:** Re: Boones Mobile Home

Jennie,

**Ex. 7(A)**

On Wed, Sep 30, 2020 at 12:58 PM Brancho, Jennie <[Brancho.Jennie@epa.gov](mailto:Brancho.Jennie@epa.gov)> wrote:

Hi Sharon,

Thank you for forwarding these. I am still working on my review from the Horizon Land Management Response to the Information Requirement Letter, but I will incorporate these files into that review.

**Ex. 7(A)**

Thanks,

**Jennie Brancho**

U.S. Environmental Protection Agency Region III

Enforcement and Compliance Assurance Division

Water Branch – NPDES Section (3ED32)

[brancho.jennie@epa.gov](mailto:brancho.jennie@epa.gov)

Office Phone: 215-814-2087

**From:** Sharon Talley -MDE- <[sharon.talley@maryland.gov](mailto:sharon.talley@maryland.gov)>

**Sent:** Wednesday, September 30, 2020 12:29 PM

**To:** Pratt, Stacie <[Pratt.Stacie@epa.gov](mailto:Pratt.Stacie@epa.gov)>; Brancho, Jennie <[Brancho.Jennie@epa.gov](mailto:Brancho.Jennie@epa.gov)>

**Subject:** Boones Mobile Home


Good afternoon,

The attached noncompliance reports have been received for the Boones Mobile Home WWTP. In addition, attached please find a copy of the letter to MDE in response to MDE's July 21, 2020 inspection report. Please feel free to contact me if you have any questions or concerns.

Be well and stay safe!

Sharon

--

**Sharon Talley**

Chief

Enforcement Division, Compliance Program

Water and Science Administration

Maryland Department of the Environment

1800 Washington Boulevard

Baltimore, Maryland 21230

[sharon.talley@maryland.gov](mailto:sharon.talley@maryland.gov)

410-537-3979 (O)

[Website](#) | [Facebook](#) | [Twitter](#)

Click here to complete a three question [customer experience survey](#).

[Click here](#) to complete a three question customer experience survey.

**Sharon Talley**

Chief

Enforcement Division, Compliance Program

Water and Science Administration

Maryland Department of the Environment

1800 Washington Boulevard

Baltimore, Maryland 21230

[sharon.talley@maryland.gov](mailto:sharon.talley@maryland.gov)

410-537-3979 (O)

[Website](#) | [Facebook](#) | [Twitter](#)

Click here to complete a three question [customer experience survey](#).

[Click here](#) to complete a three question customer experience survey.